



HOME BREWING

CATALOG 2022

WE EXPORT GLOBALLY



ABOUT US

Krome Dispense is a global manufacturer of beer dispensing equipment. Since its inception in 1999, we have been innovating products, including our energy efficient Glycol cold technology for beer towers. Most of our products are made in India and they exceed customer expectations with high quality and cost competitiveness over other European and Asian manufacturers. We stock over 3000 items in India, United States and distributor warehouses for global distribution.

Krome has established itself as a well-known brand in the beer industry. It finds encouragement in customer satisfaction through quality and reliable products. To focus on customer needs better, Krome Dispense has set up a subsidiary – Krome USA Inc. in Atlanta, Georgia. This brought us closer to our strong customer support and base of beer distributors, beverage system installers and restaurant chains. We strive to provide a cost-effective solution to their problems through our wide variety of products.

Our Krome USA facility works with North American draft system installers to complete single to multi-tap systems successfully and within promised delivery times.

OUR VISION

By 2021, Krome Dispense will move to a new and larger production, research and design facility. This will expand our ability to serve our customers with more innovation and range of products.

INDEX

FERMENTING EQUIPMENT

FERMENTERS AND ACCESSORIES
BREWING THERMOMETER
HYDROMETERS AND TEST JARS
GLASS BEAKERS
WORT OXYGENATION AND AERATION
CARBOY ACCESSORIES

BEER BREWING EQUIPMENT

HOP AND GRAIN STEEPING BAGS
POT AND KETTLE ACCESSORIES
SPOONS , FUNNELS AND ACCESSORIES

ALL GRAIN BREWING EQUIPMENT

LIQUOR TANKS , MASH TUNS AND ACCESSORIES
MASH PADDLES

HOME BREW HARDWARE


STAINLESS QUICK DISCONNECTS
BREWERY FITTINGS

BEER BOTTLING AND RACKING


BEER RACKING AND SIPHONING
BEER BOTTLE CLEANING EQUIPMENT
BEER BOTTLING
GROWLER BAG

KEGGING

ADAPTERS AND CONNECTORS
KEGGING PARTS



CARBOY
HANDLE




BEST
SELLER

NEW
PRODUCT

C169,C170

FEATURED PRODUCTS



BEST
SELLER

NEW
PRODUCT

STICK ON
THERMOMETER
STRIPC6572X5



NEW
PRODUCT

SINGLE STEP
NO RINSE
CLEANER FOR BEER AND WINE
C6576



BEST
SELLER

NEW
PRODUCT

GLASS BEER
GROWLER
WITH HANDLE AND CAP
C6510X6



BENCH BEER
BOTTLE CAPPER
C6526

NEW
PRODUCT

Fermentation is a crucial step in homebrewing. Here, we play the role of an observant while the yeast works its magic. Fermentation is a dual step process - the primary step needs large steel or plastic buckets while the secondary step follows in plastic or glass carboys. Krome has a wide size range of containers and carboys along with fermenting accessories like the airlocks and hydrometer testing jars.

FERMENTERS AND ACCESSORIES

AIRLOCKS AND STOPPERS

RUBBER STOPPERS



Tapered rubber stopper to effectively seal carboy mouth for beer fermentation. Made of food safe material, this is a solid stopper. This is needed to block the entry of atmospheric gases – especially oxygen, to avoid unwanted microbial activity in the brew inhibiting the fermentation process.

Part No.	C6505	C6506	C6507	C6508	C6517
Type	Drilled	Solid	Drilled	Drilled	Drilled
Size	Small	Small	Medium	Medium	Medium

Features

- Easier Sealing when wet.
- Longer Taper than Standard Rubber Stoppers.
- Compatible with Standard Beer bottles.
- Suitable for glass carboys as well

3 PIECE FERMENTATION AIRLOCK



Fermentation lock or airlock is a device that provides a one way route to gases. It allows carbon dioxide released during fermentation to escape from the carboy while not allowing air to enter back in. This prevents oxidation. Rubber stoppers with a drilled hole sits on the mouth of the carboy and an airlock is fitted over it.

Part No.	C6501
Material	Plastic
Finish	Raw

Features

- Simple to disassemble and clean out in the event of a blow-off.
- Works for both winemaking and beer brewing.
- Very easy to clean.
- Transparent in nature.

AIRLOCK WITH SMALL UNIVERSAL STOPPER

SET OF 2 , AFTER 3 PIECE FERMENTATION AIRLOCK



Fermentation lock or airlock is a device that provides a one way route to gases. It allows carbon dioxide released during fermentation to escape from the carboy while not allowing air to enter back in. This prevents oxidation.

Part No.	C6521
Packing	2 Pcs

3 PIECE FERMENTATION AIRLOCK

Fermentation lock or airlock is a device that provides a one way route to gases. It allows carbon dioxide released during fermentation to escape from the carboy while not allowing air to enter back in. This prevents oxidation. Rubber stoppers with a drilled hole sits on the mouth of the carboy and an airlock is fitted over it.



Part No.	C6514
Material	Silicon

Features

- Made of plastic.
- Easy to Use.
- Transparent in nature.



FERMENTERS AND ACCESSORIES

AIRLOCKS AND STOPPERS

GROMMET FOR 3PCS AIRLOCK - 2 PIECES PACK

Fermentation lock or airlock is a device that provides a one way route to gases. It allows carbon dioxide released during fermentation to escape from the carboy while not allowing air to enter back in. This prevents oxidation. Rubber stoppers with a drilled hole sits on the mouth of the carboy and an airlock is fitted over it.



Part No.	C6502X2
Material	Nitrile Rubber
OD	3/4"
ID	7/16"
Thickness	1/4"

Features

- Made from food safe silicon. Doesn't chip and flake up.
- The grommet allows for easy installation into a bucket lid and provides a good seal.
- Use with airlock for securing airlock during fermentation.
- Holds the inserted airlock tight and secure.
- The Grommet will help maintain the ferment for a longer period.
- Grommets for 15, 25, 30 and 60 litre fermenter homebrew.



BREWING THERMOMETER



BREWING THERMOMETERS

Stainless steel thermometer for measuring temperatures during boiling and fermentation. The long stem easily detects the temperature even from big kettles and fermenting containers.


Part No.	C5210	C6912
Material	Stainless Steel	Stainless Steel
Type	Waterproof	Waterproof
Size	1"	2.5"
Length	5"	12"
Temperature range (F°)	25- 125	60- 220

STICK ON THERMOMETER STRIP 36-97F (2-36C)

Part No.	C6572x5
Material	Plastic

Features

- Easy To Read, Multi-use Display for Lagers, Wines, Kombucha & Ale
- Temperature Measuring Range: (36-97)*F or (2-36)*C
- Flexible & Waterproof
- Dimensions: (6.00 x 1.0) inch
- One time use Highly Accurate Color Changing Temperature Readings



FERMENTERS AND ACCESSORIES

HOSE CLAMPS



STEPLESS CLAMP

Stepless ear clamps seal both gas and beer lines effectively to barb fittings. Also known as Stepless Oetiker clamps, these are of Stainless steel 304 grade material. Smooth inside with no grooves or gaps secures your connections tightly without any scope for leaks.

Part No.	C140	C188	C189	C020
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Size	11.19mm	14.80mm	16.80mm	10.41mm

Part No.	C021	C022	C027
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Size	13.30mm	17.00mm	10.00mm

Features

- Simple sealing with a crimping tool.
- Not reusable.
- Stainless steel material makes it highly durable.
- Clamps Are Used In Keg Tubing Kits.
- Requires Clamper For Installation & Removal.

WORM CLAMP



Adjustable Worm drive screw clamp that covers a range of hose diameters. Slip it over a hose barb connection and tighten to seal it. Just keep a flathead screwdriver handy. Stainless steel construction makes it durable. Interlocked Worm Gear Hose Clamp is reusable too.

Part No.	C235	C225
Material	Stainless Steel 304	Stainless Steel 304
ID	7/16"-5/8"	3/16"- 5/16"

Features

- Screw Type clamps for vinyl or poly beer hose.
- Adjustable – works with almost all ranges of hose diameters
- Made of stainless steel 304.

REAGENT BOTTLE



This bottle is used for making yeast starter wort ,Mix up your ingredients to make wort and boil the bottle in microwave . Make sure to close the cap of bottle while boiling. Cool it down and them store it till you need it . This bottle is made of borosilicate , which is durable , and wont crack with change in temperatures.

Part No.	C6581	C6580	C6579
Material	Glass	Glass	Glass
Capacity	1000ml	5000ml	500ml

HYDROMETERS AND TEST JARS



TEST JARS

Use Test jars to take small samples of your brew. Dip the hydrometer and take down the reading to calculate the alcohol content. Decide on the need for further fermentation and duration better.

Part No.	C6497	C6498	C6500
Material	Plastic	Plastic	Plastic
Capacity	100ml	250ml	150ml

Features

- Comes with markings.
- Easy to read, Fill and pour.
- Suitable for Beer and Wine Homebrew.
- Can be used with many other liquids.
- Hexagonal base design provides better stability.
- Friendly way to make accurate measurements.

HYDROMETERS AND TEST JARS



TRIPLE SCALE HYDROMETER

Part No.	C6573
Material	Glass

Features

- Easy and accurate readings to know when your brew is ready.
- Can be used for both beer and wine making.
- Use a sample in a measuring jar for best results.
- Three scales to measure specific gravity, potential alcohol content and BRUX (sugar content of a solution).

GLASS BEAKERS



C6551

C6550

GLASS BEAKER

Hydrometers are used to check the sugar levels in your brew thereby helping you determine the alcohol content and decide on the need for further fermentation and duration.

Use this standard 16.9 Oz glass beaker to fill a sample of your beer or wine and make it easier to take the hydrometer reading.

Part No.	C6550	C6551
Material	Borosilicate	Borosilicate
Finish	Raw	Raw
Capacity	1.6 oz (50 ml)	16.9 oz (500 ml)

WORT OXYGENATION AND AERATION



TRI CLAMP FITTING

Part No.	C5207.50	C5207.51
Size	1.5" Tri clamp	1.5" Tri clamp
Type	Liquid In	Gas In

Features

- Comes with check valve to prevent back flow
- This adapter will connect to a keg..
- Made from stainless steel
- Ideal for homebrewers



STAINLESS OXYGEN WAND WITH .5 MICRON DIFFUSION STONE X 16" LONG TUBING FITS 3/16" ID HOSE

The stainless steel rod in this unit is 16" long and has a 3/16" OD. You can either use 3/16" ID kegging beverage tubing or any other 1/8 to 3/16 diameter tubing.



Part No.	C6556
Length	16"
ID	3/16"

CARBONATION STONE FOR 1/4" TUBING – 0.5 MICRON

Carbonation stone, also called a diffusing stone – speeds up the carbonation of beer. It has perforations of micron order (0.5 micron) that provides a larger surface area for the CO2 gas to come in contact with the beer and hence causes them to mix faster. Get the quick and great fizz by using this stone while dispensing beer.



Part No.	C6555
Material	Stainless Steel 316
Barb	1/4" OD
Diameter	1/2"
Length	17/8"

CARBOY ACCESSORIES



BIG CARBOY BRUSH BENDED – STAINLESS STEEL 304

Clean away your brew residue and avoid build-up with the easy to use Carboy Brush. The narrow mouth and hard to reach bottom makes cleaning carboys a difficult task. But not any more!

Part No.	C889
Material	Stainless Steel
Length	24"

Features

- The long handle and bristles lets you scrub all the way to the bottom.
- Reaches and dislodges particles from difficult corners as well.
- Ease up your cleaning and enjoy brewing.
- This long handled brush is bent at a ninety-degree angle to clean those tough to get at spots in any size carboy.



CARBOY HANDLE

For lifting empty glass carboys.

Part No.	C169	C170
Lifting Capacity	5 gallons carboy	6.5 gallons carboy
Material	Nickel Plated Steel	Nickel Plated Steel
Color	Blue	Orange



Features

- Wing nut on both sides for easy tightening operation.

Boil the Brew and do it right

Boiling the wort is important for many reasons - sterilising, enzyme deactivation, extracting starch into the water, introducing bitterness through hops and more. To get these benefits, you'll need to take care of the temperature and the duration of boiling - and, also find the right equipment for the process.

Here's where Krome steps in with its reliable and durable Boiling Equipment for a great brew.

WORT CHILLER



COPPER WORT CHILLER WITH GARDEN HOSE FITTINGS

Cool down your brew quick and easy with a wort chiller. A coiled narrow tube made of copper provides a large surface area and brings down the temperature to save time in the brewing process. Connect the inlet to water supply and place the outlet into a sink or drain and leave the water open throughout.

Part No.	C219	C779
Coil OD	3/8"	3/8"
Coil Length	25 ft.	50 ft.
Material	Copper	Copper

Includes Hose and Nut for Home / Kitchen tap.



COPPER STAINLESS STEEL WORT CHILLER

Cool down your brew quick and easy with a wort chiller. A coiled narrow tube made of copper provides a large surface area and brings down the temperature to save time in the brewing process. Connect the inlet to water supply and place the outlet into a sink or drain and leave the water open throughout.

Part No.	C281	C993
Size	3/8" OD	3/8" OD
Coil Length	25 ft.	50 ft.
Material	Stainless Steel 304	Stainless Steel 304

Features

- With Garden hose fittings.
- Brass Garden hose connection nut on other end.
- Includes 7 feet clear hose.
- Shipped in multiple of 2 pcs.

HOP AND GRAIN STEEPING



BREW SCREEN

The brew valve accessory that turns your pot into a mash tun. All stainless steel, 3/8" or 1/2" male NPT thread to fit the brew valve.

Part No.	C717	C720	C6720
Size	12"	12"	6"
Thread	3/8" NPT	1/2" NPT	1/2" NPT
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304

Features

- This brew Screen help to filter out trub from your wort.
- 304 stainless steel Brew Screen 3/8 " NPT.

HOP AND GRAIN STEEPING



BAZOOKA T SCREEN

Part No. C718

Length 10"

Outlet 1/2" Copper

Features

- Excellent for straining out leaf hops in the boil kettle.
- Stainless Steel construction.



3" STAINLESS STEEL HOP STEEPER BALL

Stainless steel Hop strainer for home brewing beer. Keep your hops in this fine mesh ball to keep them separate and easy to remove from the wort. The strainer allows free movement of the wort to extract the bitterness and flavour hops impart to the beer.

Part No. C6513

Material Stainless Steel

Features

- Designed with a chain and hook end to use with any boiling pot, kettle.
- Easy to steep and clean.
- Ideal tool for steeping loose leaf hops.



STAINLESS STEEL PURE SCREEN

This Pure Screen is a Welded Stainless Steel Screen that fits directly on your racking cane or keg dip tube and filters out particles from the fermenter. It is easy to clean and sanitize and it won't harbor bacteria like plastic filters can because it is made of stainless steel.

Part No. C711

Material Stainless Steel 304

ID 3/8"

Features

- Allows dry hopping to be done directly in the keg.
- Pellet hops have a tendency to clog the Pure Screen.
- It works far better with Whole Hops.



HOP AND GRAIN STEEPING BAGS



HOP STRAINING BAG

Hops add the bitter taste and unique flavour to the beer. They are added at the wort boiling stage. It is best to use a bag instead of adding directly since they will need to be removed before moving to fermentation. Here we have Nylon Straining bags that allow flavour infusion without any obstruction while keeping the hops contained to easily remove from the wort after the boiling process. Available in different sizes for use with brew batch sizes.

Part No.	C771	C772	C773	C6570	C6571	C6569
Size	8" x 9"	8" x 15"	24" x 24"	14.5" x 5.25"	27.5" x 5"	10.5" x 5.5"
Material	Nylon	Nylon	Nylon	Muslin	Muslin	Muslin
String	With String	With String	With String	With String	With String	With String

Features

- Mesh no-100 mesh.
- For use with fresh or pelletised hops.
- Closable with string.

HOP & GRAIN STAINING BAGS



Works great for your finishing hops.

Part No.	C163	C164
Product	Hop Straining Bag	Grain Straining Bag
Size	9" x 5"	13" x 11.5"
Material	Nylon Mesh	Nylon Mesh
String	With String	With String

Features

- Mesh no-100 mesh.
- For use with fresh or pelletised hops.
- Closable with string.



Mesh Bag with Drawstring (Brew-in-a-Bag)

A huge mesh bag with a draw string , is very economical in all grain system . It cuts the cost of parts and labour but provides the same result - Great Beer!

Part No.	C6568
Size	22" x 23"
Material	Nylon Mesh
String	With String

HOP AND GRAIN STEEPING



BREW IN BASKET

Part No.	C6596	C6597
Material	Stainless Steel 304	Stainless Steel 304
Micron	300 Micron	300 Micron
Diameter	8 3/4"	12 1/4"
Length	15 1/2"	18 1/2"

Features

- Material SS304
- Filtration Rate = 300 micron mesh design makes the filter more refined, has an exquisite filtering performance.
- Easy to use and clean.
- Appropriate size and lightweight.



HOPPER FILTER STRAINER 400 MICRON-11.5"

Part No.	C6588	C6589	C6592	C6593
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Type	Filter Cylinder	Filter Cylinder	Filter Cylinder	Filter Cylinder
Length	11.5"	7"	10"	14"
Diameter	2.8"	2.8"	4"	6"

Features

- Material SS304
- Filtration Rate = 300 micron mesh design makes the filter more refined, has an exquisite filtering performance.
- Easy to use and clean.
- Appropriate size and lightweight.
- Also can be used as a filter part for coffee grinder, filter tank, water purifier, etc.

KETTLE SPIDER FOR HOPS

Kettle spider to hang hops from a straining bag. The three spokes provide support and balance on the kettle. The ring at the center is where you'd set the bag up with hops inside. This is a great way to infuse the hop flavours into your brew while boiling. Hops are now at the center of the boiling kettle which keeps them in constant contact with the wort throughout. The strainer bag keeps the hops together and easy to remove after boiling.

Part No.	C851
Inner Diameter	3-3/4"
Length of Arms	9"


Features

- Makes Hop Additions Easier.
- The Kettle Spider fit mostly in all kettles.
- Great For New Brewers.
- Makes bags easier to use with hops because it is open throughout the boil



Homebrewing requires a careful selection of recipes, ingredients, equipment and, let's not forget the Brewing Hardware. While choosing the right equipment is a given, neglect not the smaller components that hold everything together. Needed at every step either as fittings, clamps, valves or disconnects, Krome has the choicest collection of the Brewing Hardware with a long lasting performance.

POT AND KETTLE ACCESSORIES



BASIC KETTLE CONVERSION KIT

Part No.	C218	C762
Material	Brass	SS 304

Features

- Easily convert an appropriate vessel into a kettle without welding.
- All that is needed is a 7/8" holesaw, step drill or hole punch & pliers.

SANITARY BALL VALVE

Part No.	C763	C762.01
Material	Stainless Steel 304	Stainless Steel 304
Thread Size	1/2" NPT Threads	1/2" NPT Threads

Features

- Sanitary ball valves are easy to take apart and clean.
- The seals are made of Teflon to resist high temperatures.
- Comes with a locking handle to prevent accidental opening.



KETTLE DIVERTER FOR BOIL KETTLE

Leave the grain and hop sediment behind in the boiling pot and get the clear wort to the next stage. With all the carbs and flavours extracted from the grain and hops respectively, it is best to filter them out and here is a tool to make that job simpler. A U shaped diverter with 1/2" MPT that can be coupled with 1/2" FPT fitted on the inside of a kettle. It draws the wort from the side instead of the middle of the boiling pot.

Part No.	C750
Material	Stainless Steel

Features

- Designed to pull from the side of the kettle instead of the middle.
- This helps reduce trub from entering your fermenter.
- By adjusting the height where you install, you can also control how much wort you leave behind in the Kettle.
- Has a 1/2 inch MPT fitting on the end, that screws into the coupler placed inside heavy duty kettles.

POT AND KETTLE ACCESSORIES



1/2" STAINLESS STEEL KETTLE CONVERSION KIT COUPLING

Coupling tube with double sided 1/2 " female npt threadings for providing connections between homebrewing hardware components. Used in kettle conversion and for other Male NPT fittings.


Part No.	C167
Thread	1/2" NPT
Material	Stainless Steel 304
Finish	Stainless Steel



SS BULK HEAD

Bulkhead for weldless kettle conversion to use with ball valves. This becomes extremely handy to transfer wort and brews and the smooth unthreaded surface makes cleaning easy too.

Part No.	C767
Thread	1/2" NPT
Material	Stainless Steel 304
Finish	Stainless Steel



LIQUOR TANKS , MASH TUNS AND ACCESSORIES

STAINLESS STEEL FALSE BOTTOM



Part No.	C380	C381	C367	C377	C389
Size	10"	12"	9"	13.39"	15.35"
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304

Features

- Make sure to choose the appropriate size for your kettle.
- Great for making the switch to all grain brewing.
- Converts your brewpot into a mash tun.
- Made of high quality perforated stainless steel.

HEX NUT FOR FALSE BOTTOM ELBOW



Part No.	C380.02
Hex Diameter	29.9mm
Thread	1/2" BSP
Material	Stainless Steel 304




Features

- Different sizes available according to false bottom size.

FALSE ELBOW



Part No.	C380.3
Thread	1/2" MPT
Material	Stainless Steel



MASH PADDLES

PLASTIC MASH PADDLE


Mashing is a critical step in the beer making process – where the malted grains and other cereal starches are converted to sugars which is then fermented with yeast later, giving us the alcohol content. Use the 24" or 28" mash paddle, that is convenient for any brew batch size. Made of durable food safe plastic, this mash paddle is a must have in your homebrewing accessories.

Part No.	C6624	C6528
Material	Durable Food Safe Plastic	Durable Food Safe Plastic
Length	24"	28"



C6624

MASH PADDLES



MASH PADDLE

Part No.	C996	C997
Type	Without Holes	With Holes
Length	30"	30"
Material	Stainless Steel 304	Stainless Steel 304
Finish	Brushed	Brushed

Features

- This 30 inch, 100% Stainless Steel Mash Paddle with and without holes are perfect for any size of mash tun.
- It can stir large volumes.
- This mixing paddle has a wide frame with a straight front edge which ensures that the bottom of the pot is well-stirred.
- Designed with a long handle and 304 stainless steel construction, this stirring paddle keeps your hands away from the heat source and is resistant to cracking and splintering even with heavy duty use and also food safe.
- Much harder to bend than a plastic paddle.
- Easier to clean and sanitize than a wooden paddle.

MASH PADDLE

Part No.	C6532	C6531
Type	Without Holes	With Holes
Length	36"	36"
Material	Stainless Steel 304	Stainless Steel 304
Finish	Brushed	Brushed

Features

- This 36 inch, 100% Stainless Steel with and without holes Mash Paddle is perfect for any size of mash tun.
- It can stir large volumes.
- This mixing paddle has a wide frame with a straight front edge which ensures that the bottom of the pot is well-stirred.
- Designed with a long handle and 304 stainless steel construction, this stirring paddle keeps your hands away from the heat source and is resistant to cracking and splintering even with heavy duty use and also food safe.



STAINLESS QUICK DISCONNECTS



MALE STAINLESS STEEL QUICK DISCONNECT WITH 1/2" BARB

Make your brew connections – smooth and easy with quick disconnects. Use this quick release fittings with brew pot ball valves and hoses to transfer wort for next steps. No more stress for cleaning since putting them back together is a breeze now!

Part No.	C920
Material	Stainless Steel 304
Barb Size	1/2"

Features

- 1/2" Barbed to Male Stainless Steel Quick Disconnect.
- Our Quick Disconnects are Stainless Steel and High Quality.

MALE QUICK DISCONNECT

Fits in C753

Part No.	C751
Length	45.65mm
Barb Size	3/8"
Material	Stainless Steel 304

Features

- The quickly disconnect will head wold pressure for typical brewing application when moving liquids at 60 PSI or less.



MALE QUICK DISCONNECT

Make your brew connections – smooth and easy with quick disconnects. Use this quick release fittings with brew pot ball valves and hoses to transfer wort for next steps. No more stress for cleaning since putting them back together is a breeze now!

Part No.	C752
Length	45.07mm
Thread	1/2" MPT
Material	Stainless Steel 304

Fits in C753



FEMALE QUICK DISCONNECT

Quickly and effortlessly switch lines between fittings with this stainless steel quick disconnect. Move tubing from one kettle to another. Easily switch lines between pumps, chillers, hoprockets or other in line equipment. Stainless steel design is safe for your wort just what a pro brewery would use.

Part No.	C753
Length	55.35mm
Thread	1/2"
Material	Stainless Steel 304

Features

- Quickly and effortlessly switch lines between fittings with this stainless steel quick disconnect.
- Move tubing from one kettle to another.
- Easily switch lines between pumps, chillers, hoprockets or other in line equipment.



STAINLESS QUICK DISCONNECTS



C6562



C6563



C6561



STAINLESS STEEL CAMLOCK

Made of stainless steel, makes our camlocks economical and durable. Mostly people use the male camlocks on the fixed brewery parts and on the movable parts female camlock is used in such that the movable parts have ease to move. Rest is upon the user how he wishes to use it.

Part No.	C6561	C6562	C6563
Thread Size	1/2" Female	1/2" Female	1/2" Female
Body Material	SS 304	SS 304	SS 304
Compression	A,E,F and dust plug	1/2" NPT Female	1/2" NPT Male
Type	C	A	F



STAINLESS STEEL TRI-CLOVER FITTING - 1.5" TC TO MALE CAMLOCK

This 1.5" Tri-clover adapter, made from 304 stainless steel, allows you to connect a female camlock fitting to a 1.5" tri-clover port. The outside diameter of the flange is 1.98".

Part No.	C6619
Material	Stainless Steel

1/2" NPT THREADED STEM

The NPT threaded stem is used as a connector between hardware components with a 1/2" NPT Female fittings in homebrewing. This coupling system doesn't require any bolts.

Part No.	C5518	C5519
Material	Stainless Steel	Stainless Steel
Thread Size	1/2" x 14 BSP	1/2" x 14 BSP
Length	2"	2.5"

HOSE BARB



1/2 FPT X 1/2 HOSE BARB

This Female NPT X Hose Barb is a transition adapter between a 1/2" male NPT and 1/2" hoses in homebrewing hardware assembly. Use a worm clamp to secure the connection further.

Part No.	C6812
Material	Stainless Steel 304
Finish	Brushed Stainless

Once the brew is suitably fermented, just one more thing remains before it can be enjoyed - Racking. It is an act of transferring the brew from the fermenting container into a secondary fermenter or bottles for later consumption. Racking and Bottling go hand-in-hand and hence Krome has put together racking canes, bottle caps, manual capping tools and more under this category

BEER RACKING AND SIPHONING



RACKING CANE

Racking cane is an important home brewing tool. It is used to transfer wort and beer from one vessel or container to the at different steps of brewing. Racking cane height depends on the depth of fermenter.

Part No.	C171	C165	C822
Size	3/8"x24"	3/8"x30"	3/8"x16"
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Finish	SS Polished	SS Polished	SS Polished

Features

- It is a hollow tube through which the liquid rises and can be directed to a container with the help of a tube attached.
- It is also used in beer bottling.
- It is sometimes used for mixing brew as well.



RACKING CANE REPLACEMENT TIP

As it is made of plastic, it works better than steel tip, as the steel tip may fall into the carboy due to its weight. Also it does a good job in minimizing sediment in racking process.

Part No.	C166
Colour	Black
Material	Plastic
Finish	Glossy




BOTTLE FILLER WITH SPRING TIP 3/8"

Facilitates beer bottling at home on homebrewing beer bottling day, Attach the 3/8" silicon tube to the top barbed side, connect the tubing to the tap of the keg/beer bottle or growler and depress the spring-loaded to start filling.

Part No.	C6539	C6540
Material	Stainless Steel	Plastic
Finish	Brushed Stainless	Tranlucent

Features

- This spring tip beer bottle filler is constructed from stainless steel.
- Removable spring nozzle makes it easy to clean and sanitize.
- Spring-loaded tip for easy flow control when filling bottles.
- This filler is compact, durable and hygienic.



BEER RACKING AND SIPHONING

AUTO SIPHON TUBING

Auto Siphon allows you to transfer your homebrew from one vessel to another with limited oxygen exposure.



Part No.	C6598	C6599	C6604
Length	33 cm	56 cm	45 cm
Siphon tubing size	3/8"	3/8"	3/8"
Material	Plastic	Plastic	Plastic

Features

- Available in different sizes as per your requirement.



HOME BREW TUBING

SILICON HOSE – SOLD PER FOOT

Silicon Tubing for homebrewing and beer transfer application. This Silicon brewery hose is of high quality food grade material. Use with hot wort also. The beer tubing is see through and is thick enough to avoid kinking.



Part No.	C6519	C5502
Material	Silicon	Silicon
OD	3/4"	5/8"
ID	1/2"	3/8"

Features

- Silicon material, food grade hose.
- Wort and beer siphoning transfers during brewing and bottling.

VINYL HOSE – SOLD PER FOOT

Translucent Braided hose for draft beer dispensing. This beer line tubing is of durable Vinyl material and has a 3/8" inner diameter. Ideal for home as well as commercial applications. Choose appropriate length based on your use.



Part No.	C2129-50'
Material	Vinyl
OD	5/8"
ID	3/8"

Features

- Clear, see through tube for draft beer dispensing system.
- Made of quality Vinyl material.
- 3/8" inner diameter and sold per foot
- For homebrewing as well as commercial establishments.

BEER BOTTLE CLEANING EQUIPMENT



JET BOTTLE WASHER

Jet bottle washer attaches to any common faucet and delivers a blast of water to clean bottles and carboys.

Part No.	C148
Material	Brass
Finish	Plated Brass

Features

- With garden hose fitting that connects easily to a utility sink.
- A quality brass construction ensures the product is durable.

BEER BOTTLING



FAUCET ADAPTER

Fits most house hold faucets. Suitable for C148.

Part No.	C248
Material	Brass
Finish	Plated Brass

Features

- Adapts your jet bottle faucet so you can screw on a garden hose.
- Fits both male & female faucet threads to adapt to a standard hose.

GROLSCH GASKET FOR FLIP TOP BOTTLES

Reusable food grade gaskets to effectively seal flip-top bottles after filling them with your home brewed beer. Place the Grolsch Gasket on the bottle mouth and press the cap shut to keep the beer freshness, flavour and gases intact until it is ready for drinking after conditioning.



Part No.	C6614x25	C6614x100
Material	Rubber	Rubber
Finish	Raw	Raw

Features

- Fits both plastic and ceramic style flip top caps.
- Made from Food Safe certified materials.
- Can be easily Re-Used for 5 or 6 Times.
- Preserves your beer, wine and spirits.



BEER BOTTLING



BENCH BEER BOTTLE CAPPER

Part No.	C6526
Material	SS

Features

- Adjustable height manual bottle capper.
- Works with a wide range of bottle sizes.
- Place the cap over the bottle and press the lever down to seal it in place.



BEER BOTTLE CAPS (PACK OF 100 PIECES)

Ready to bottle your brew? Along with the bottles, you'll also need the caps and a capping tool to seal them. Here is a pack of 100 Bottle crown caps of 29mm diameter. The cap is then placed over the bottle, after the beer is filled and pressed to seal it with the help of the bottle capper. The bottle is now ready to be put away.



Part No.	C6529x100
Material	Mild Steel
Color	Gold
Length	1.02"
Weight	2g

Features

- Easy to Use.
- Helps reduce oxidation and premature staling.
- Perfect for beers that you plan to age.



BEER BOTTLING



BEER BOTTLING HOMEBREW BUCKET PLASTIC TAP

It can be used with any standard fermenting and bottling bucket with a 1" drilled hole. Attach 3/8" I.D. tubing and your bottle filler for easier bottling .

Part No. C6574

GROWLER FILLER FOR 630SS & 650SS

Growler filling attachment with nozzle and hose. Nozzle made of Stainless steel. The O-rings will help slide and stay firmly in place inside the spout. Comes with a vinyl hose attached to the barb end. This allows a bottom up filling and lesser foam.



Part No.	C764
Material	Plastic
Length	1 Feet (12")
Beer Contact Material	Stainless Steel 304

Features

- Made of Stainless steel 304 grade material – durable and corrosion resistant.
- Double O-Ring seals provide a good tight seal to the inside of the faucet preventing messy leaks.
- Long hose attached should be dropped into the growler to reduce foaming.



GROWLER BAG

Made of plastic which is completely food safe, this 1.5L, 2.5L & 5 L Growler Bags keeps the beer flavour and fizz intact while being easy to fill and carry.

Part No.	C2315	C2316	C2317
Material	PET/NY/PE	PET/NY/PE	PET/NY/PE
Capacity	1.5L	2.5L	5L

GLASS BEER GROWLER WITH HANDLE AND CAP – 64 OZ

We have a fantastic option to bottle your brew and sit back and enjoy it for days to come. Glass Beer Growler With Handle and cap is not just any growler but is a uniquely designed 64 Oz reusable one that comes with a convenient handle – easier to carry and pour beer indoors and outdoors- it's a must " to go with your picnic " thing.



Part No.	C6510x6
Material	Glass
Capacity	64 OZ
Color	Amber

Features

- No Logo – Printed options available*
- Amber colour of glass protects beverage from UV Rays.
- 64 oz Capacity about a Half gallon capacity.
- Thick Glass construction.
- New ultra-modern shape glass.



GROWLER COLLAR

Part No. C6527

Features

- Drains and dries growlers.
- Suitable for 64OZ growler (C6510).
- Growlers should be allowed 12-24 hours to dry.
- Soft Silicon feet prevent the growler from scratching your counter.



STATIONARY BOTTLE DRAINER

Easily air dry bottles after sanitizing with this Beer bottles drying tree. Keep your bottles clean and dry for use with next brew batch. This is a Plastic screw type bottle drying tree.

Part No.	C6602	C6603	C6605
Material	PLASTIC	Plastic	Plastic
No. of bottles	100	50	20

Features

- Use with up to 20,50 & 100 bottles
- Invert and screw mount to dry
- Made of plastic and handy for home brewers.



SANITIZER RINSER PUMP

Fill the bottle rinser pump with sanitizer solution or water. Invert a bottle over the white stem and press down. This releases high pressure jet streams that rinse and sanitize the bottles.

Part No. C6601

Material Plastic
Capacity 1.5L

SINGLE STEP NO RINSE CLEANER FOR BEER AND WINE



Part No. C6576

Material Precarbonates and sodium carbonate peroxyhydrate
Color White
Makes 2 Gallons

Features

- Pouch has 41 gms of cleanser powder. Mix this in 7.5 litres of warm water to prepare the cleaning solution.
- For beer fermenters, bottles and other equipment.
- Completely safe to use. Doesn't leave any smell or stains behind.
- Clean regularly to keep your brewing components hygienic and avoid contamination.

WE SUPPORT LOCAL HOME BREW SHOPS



Brewing is about big mashtuns, kettles and fermenter buckets as well as the smaller equipment. Mash paddles to extract the best from your grains, brew spoons for stirring mash and wort, agitating rod for mixing and aeration and more.

Krome has an entire category dedicated to these brewing tools in different materials, lengths, with or without hole varieties, all for you to choose according to your batch sizes and needs.

SPOONS , FUNNELS AND ACCESSORIES

BREWING SPOON

The long 21" brew spoon made of Stainless steel is a must have homebrewing accessory. Use it for stirring and mixing the brew especially after transferring into a carboy. The other end also has a small paddle and works for narrow mouth carboys as well. The product is heat and corrosion resistant and hence can be safely used with hot brews as well.

Part No.	C999
Material	Stainless Steel 304
Finish	SS Polished
Length	21"



C999

SS TONGS

Sturdy Tongs for handling things from a distance. When you need to remove items, such as hop bags, from a pot of boiling wort, you'll be glad you have these stainless steel tongs pair. While brewing, you're going to be surrounded by hot liquids. These extra long 16" Stainless Steel Tongs are perfect for grabbing hot things and put them in or set aside..

Part No.	C998
Material	Stainless Steel 304
Finish	SS Polished
Length	16"



C998

STRAINER FOR PALE BUCKET

Strain out hops, grains and other particles using this Stainless steel large strainer. The fine perforations restricts smallest of the particles and keeps the wort and brew clear for the next process. Heat resistant wooden handle allows using it with hot worts and other liquids as well.

Part No.	C793
Material	Stainless Steel 304
Diameter	10-1/4"
Handle material	Wooden



C793

PLASTIC BREWING SPOON

Use it for stirring and mixing the brew especially after transferring into a carboy. The other end also has a small paddle and works for narrow mouth carboys as well. The product is heat resistant upto 360 degrees Celsius and hence can be safely used with hot brews as well.

Part No.	C6627	C6628
Material	Durable Food Safe Plastic	Durable Food Safe Plastic
Finish	Plastic	Plastic
Length	24"	28"



C6628

Once the fermentation is complete, next comes storing the brew in bottles or kegs for conditioning. But keggling is said to be a step ahead of bottling and hence if that's your pick, you have gone ahead to the next level. Kegging requires a few other components apart from kegs that might already be on your list.

This category brings to you trusted and reliable equipment to keg and dispense your latest brew batch.



C2361 C2363 C2364

BALL LOCK KEGS

By Kegs we don't only mean Beer Kegs, Krome Dispense also Deals in Coffee Kegs. Our Different range of Ball Lock Coffee Kegs is best suitable for your Coffee Dispensers.

Part No.	C2361	C2363	C2364
Size	2.5 Gallon	3 Gallon	5 Gallon
Handle	Rubber Handle	Steel Handle	Steel Handle

ADAPTERS AND CONNECTORS



TAIL PIECE WITH CONNECTOR

Fits inside a hex nut or wing nut instead of a barb. Provides a 1/4" MFL connection, so that you can easily switch between commercial kegs and home brew kegs.

Part No.	C115
Thread	1/4" MFL
Material	Stainless Steel 304
Finish	Stainless Steel

Features

- Special Stainless steel tailpiece that has a 1/4" MFL Connection.
- Attaches 1/4" vinyl beer line tubing with female fitting to a coupler.
- Easy to connect and remove too.



CORNY PLUG ADAPTER

Adapter to make corny-style quick disconnects for a number of purposes. For transferring, dispensing or cleaning. Mostly used with Corny and AEB kegs as tank posts.

Part No.	C118
Threads	7/16" X 20 UNEF(Female)
Material	Stainless Steel 304

ADAPTER

Adapter that makes direct faucet connection to the beer keg possible. It's way easier now to serve your home brewed beer in style. Just make sure your keg is cooled enough to give a fresh, crisp, chilled beer to enjoy.



Part No.	C109
Female Thread	7/16" UNC
Material	Brass
Finish	Plated Brass

Features

- Female Thread: 7/16" UNC.
- Fits CMB threaded quick disconnects.

TAIL PIECE WITH CONNECTOR



Adapter that makes direct faucet connection to the beer keg possible. It's way easier now to serve your home brewed beer in style. Just make sure your keg is cooled enough to give a fresh, crisp, chilled beer to enjoy.

Part No.	C6509
Finish	Chrome Plated

Features

- Special Stainless steel tailpiece that has a 1/4" MFL Connection.



BALL LOCK PICNIC TAP SAMPLE FAUCET

It is great for sampling when there is no keg room to fit in the fridge on tap, just open the door and pour. Quick connects make it easy to clean.

Part No.	C6609
Material	Plastic

KEG POST BALL LOCK CONVERSION KIT

The fittings and springs are made of stainless steel.




Part No.	C850
Material	Stainless Steel 304

Features

- Ball lock posts easily attach to sankey coupler air & beer line fittings.
- Makes it easy toggle between commercial & homebrew beers.
- Includes both gas & liquid side ball lock posts.

SODA STREAM ADAPTER

SodaStream adapter that helps fill CO2 on your own from a larger cylinder into smaller ones. Refilling saves money than going for a new one each time. Attach the adapter and slowly release and fill CO2.



Part No.	C6524	C6525
Material	Brass	Brass
Finish	Polished Chrome	Polished Chrome

Features

- SodaStream Adapter For CO2 Regulators provides the perfect solution for SodaStream cylinders.
- Robust design and manufacture – will last a lifetime.
- Inner thread: M6 X 0.75, Outer thread: DIN477.



PIN LOCK DISCONNECTS

Pin lock kegs, also called Soda kegs, have separate gas inlet and liquid outlet on the lid itself. This Pin lock Disconnect for Gas in fits perfectly on the gas inlet. Attach a suitable gas hose to the 1/4" Male thread end and the gas line is all set. The Grey base and top is to easily identify that this Pin Lock Disconnect is for the Gas side only. Perfectly fits all Cornelius pin lock style kegs.



Part No.	C6560	C6559	C6558	C6557
Material	Plastic	Plastic	Plastic	Plastic
Thread Size	1/4"	1/4"	1/4"(Barbed)	1/4"(Barbed)
Disconnect	Gas in disconnect	Liquid out disconnect	Gas in disconnect	Liquid out disconnect
System	Pin lock	Pin lock	Pin lock	Pin lock
Colour	Gray	Black	Gray	Red

BALL LOCK DISCONNECTS

Ball lock kegs, also called Soda kegs, have separate gas inlet and liquid outlet on the lid itself. They are very convenient to store and dispense home brews. This Ball lock Disconnect for Liquid out is specially for on the liquid outlet. Attach a suitable beer hose to the 1/4" threaded end and the beer line is all set. The Black base and top indicate that this Ball Lock Disconnect is for the Beer side only.



Part No.	C6552	C6544	C6543	C6553
Material	Plastic	Plastic	Plastic	Plastic
Thread Size	1/4"	1/4"	1/4"(Barbed)	1/4"(Barbed)
Disconnect	Gas in disconnect	Liquid out disconnect	Gas in disconnect	Liquid out disconnect
System	Pin lock	Pin lock	Pin lock	Pin lock
Colour	Gray	Black	Gray	Red

1/4" FFL OUTLET X 1/4" MFL INLET DISCONNECT CHECK VALVE – STAINLESS STEEL

Backflow preventer for carbonated beverages Double Check Valves are designed for the protection of the water supply from carbon dioxide gas and carbonated water.



Part No.	C2170
Material	Stainless Steel 304
Internal Thread Size	1/4" Female (7/16"-20 UNF)
Thread Size	1/4" Male (MFL) (7/16"-20 UNF)



Features

- Suitable for Post-Mix Carbonated Beverages and other dispensing equipment for tea and coffee.
- 1/4" stainless steel check valve.
- Perfect for Vertical or horizontal installation this gives additional convenience and ease to multi-application
- Permanent marking shows flow direction

FLARE SWIVEL NUT AND STEM SET 3/8" BARB

Hose barb with attached stem to connect to a MFL thread. Use Swivel nut fittings with Gas or Liquid disconnects with Threaded ends for Corny kegs. Simply slide the gas or beer tubing on the barb end to connect the keg with the rest of the system.



Part No.	C1451
Body Thread	3/8"
Color	Silver
Weight	0.04lbs
Length	0.43 mm
Height	1.41 mm

Features

- 3/8" Barb
- Makes it possible to attach your 3/8 inch
- Great for Home and Commercial Draft System



KEGGING PARTS

STAINLESS STEEL OVAL KEG LID



This keg lid features a ball lock gas post which is attached to a piece of food grade hose, that has a stainless steel 0.5 micron diffusion stone on the end of it. The stone will hang down in the bottom of your keg of cold brew coffee (or other beverage) and allow the nitrogen (or other gas you may be using) to infuse into your beverage from the bottom up. This makes infusing cold brew coffee for serving nitro coffee on draft much easier and faster than having to shake your keg

Part No.	C6536	C6489
Material	Stainless Steel	Stainless Steel



Features

- Carbonation keg lid has integrated pressure relief valve and this PRV automatically opens up at 70 psi (excess co2 pressure).
- One of the unique features about this Carbonation Keg Lid dry hop holder. a small clip welded at bottom of soda keg lid for easy hanging hop bags with a string or hop ball chain.

LIQUID DIP TUBE 5 GALLON – BALL LOCK 23.22"



Dip tubes are used in kegs either for distributing gas or bringing up beer to the valve. Liquid dip tubes are meant particularly for drawing out beer from the keg. A Beer out Dip Tube is a long narrow metal pipe running along the centre of the keg. The pressure of the incoming gas pushes the beer up the dip tube and into the beer hose connected.

Part No.	C2367	C919	C2368
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Color	Silver	Silver	Silver
Height	589.7mm	335mm	364.9mm

Features

- Heavy Duty Stainless Steel Constructed for Durability.
- Replacement for gas in dip tube on home-brew kegs.
- Stainless Steel with O-ring.
- For Home-brew Draft Beer Cornelius Corny Keg.
- This is a replacement dip tube for Ball Lock OR Pin Lock kegs.



KEG LID O-RING

Replacement O-Ring for cornelius and home brew kegs / Soda Tanks. Superior material for long life.

Part No.	C249
Material	Rubber



Features

- This is the O-ring that goes on the top of keg lids. This is a universal for almost all keg lids.



GAS DIP TUBE - GAS IN

This is a standard Dip Tube for Gas-IN on a Cornelius keg. Corenlies Gas Dip Tube includes new O-ring. Many Firestone kegs used a smaller diameter plastic tube. We would recommend drilling out this hole and replacing with this metal dip tube.

Part No.	C918
Material	Stainless Steel 304
Length	38mm

Features

- Stainless Steel.
- Includes O-Ring.



DIP TUBE O-Ring

Part No.	C916
Material	Rubber

Features

- Use this dip tube O-ring to replace worn out rings inside your keg. This ring will fit both the gas in and liquid out dis tubes of a cornelius keg.



O-RING REPLACEMENT SET FOR CORNELIUS KEGS

Part No.	C970
Material	Rubber

Features

- Keg O-rings replacement set this 5 piece set will easily replace any rotted O-rings for your ball lock cornelius keg.



UNIVERSAL POPPET VALVE

Part No.	C854
Material	Stainless Steel

Features

- Fits all ball and pin lock style keg posts.
- Easy to install.





PIN LOCK DEPRESSURIZER , STAINLESS

Depressurizer to safely release excess CO2 pressure from a Pin-lock keg.

Part No.	C481
Material	Stainless Steel 304

Features

- Made of stainless steel material for durability.
- This is a handy product that is easy to fit in and use.
- It provides a manual depressurizing feature that is normal missing in pin-lock kegs which only come with an automatic pressure relief valve.



BALL LOCK POST WITH 1/4INCH BULKHEAD

Ball lock posts has a 1/4 inch BSP thread , It can be attached to a wide range of other fittings as well.

Part No.	C5239
Material	Stainless Steel 304

PLASTIC PRESSURE RELIEF VALVE



It is the most common relief valve. It fits most Cornelius and Firestone style kegs . It has a long body with spring, and grey top with pull ring.

Part No.	C5240
Material	Stainless Steel 304
Maximum Pressure	100 psi

BALL LOCK KEG (FREE FLOWING) QD JUMPER POST FOR CLEANING



Make your cleaning day a breeze with this QD Jumper post. Pull back, insert and release the lock groove to make the connection – yes, that simple! No need to remove the Ball lock disconnects at all. The cleaner solution goes right through the Ball Lock Keg cleaning post. Connect multiple beer lines and Ball lock kegs in a daisy chain and clean them all in one go.

Part No.	C2366
Material	Stainless Steel 304
Finish	Electropolish


Features

- Made of Stainless steel material.
- Includes O rings on both ends.
- Jumper between the beer lines for easy cleaning.
- Ball lock kegs are widely used in home-brewing. Hence a handy tool for all home-brewers.

Draft beer system consists of myriads of components – all brought together and connected using different kinds of caps, clamps, valves, etc. Specialized fittings such as Tri-clover connectors, Quick Disconnect of different types are part of this category along with tail-pieces

BREWERY FITTINGS

TRI-CLAMP BLANK 1.5"



A stainless steel plate to close, or blank off an outlet. These Stainless connectors are easy to clean and disassemble. Tc 1.5" is the most popular size for Craft breweries around the globe.

Part No.	C5206
Material	Stainless Steel 304
Finish	Electro Polish
Colour	Silver



Features

- High Pressure Durable.
- Corrosion resistance and high temperature resistance.
- Used for permanent sealing.
- Suitable for use in food, beverage, and dairy applications.
- Easy to use.

1.5" TC SHANK FOR SAMPLING BEER FAUCET



Sample beer with this Handy Tri-clamp adapter shank in brewing. Attach standard US beer faucet on the fermenting vessel in two simple steps. Fit the tap on adapter shank and then to the TC fitting on your fermentor.

Part No.	C5208
Material	Stainless Steel 304
Finish	Brushed Stainless
Suitable For	US Standard Tap



Features

- 1.5" TRI CLAMP.
- SS 304 material.
- Connect with US standard tap.
- Installation is easy and quick also.
- Easy to maintain and fix.

FERRULE GASKET FOR 1.5" TRI-CLOVER



Ferrule gasket provides leak-proof Tri-clamp connections. Made of flexible and durable rubber, this TC gasket comes in white colour. Make sure to position the ring correctly between the two ferrules before locking the clamp.

Part No.	C3587X20
Material	Rubber
Finish	Raw



Features

- Style: Tri-Clamp.
- Most economic.
- High Chemical , Acid Resistance.
- Gasket Size For 1.5 Inch Tri-Clamp Fittings.
- Popular application for all standard size tri-clover.

STAINLESS STEEL 1/4" HOSE BARB TO 1.5" TC CAP

Connect a 1/4" I.D. hose to this clamp ferrule to attach to a TC fitting on your brewing equipment. Especially useful in transferring brew or hot wort after boiling.



Part No.	C6566
Material	Stainless Steel
Finish	Electro Polish
Hose Barb O.D.	1/4"

Features

- Made out of 304 Stainless Steel.
- 1/4" OD Hose Barb.
- Designed for use with 1/4" ID tubing.
- 13/16" barb portion length.
- 1 1/2" Total Length.
- For connecting pipes or fittings of different types.
- Barbed fitting for a tight seal on hoses.



HEAVY DUTY STAINLESS STEEL TRI-CLOVER FITTING – 1.5" TC CLAMP

Use this TC clamp with a gasket and same sized ferrules to make easy connection. Position the ferrules and gasket in between them properly and tighten to make the fitting leak-free. Simple to assemble and remove to clean.



Part No.	C6565
Material	Stainless Steel 304
Suitable for	1.5" TC Clamp

Features

- Made of 304 stainless steel, corrosion resistant.
- For use with 1.5" TC fittings.
- Does not come with silicon gaskets.
- Fit for all other stuff sanitary fittings.
- Easy tighten thumb screw with wing nut.
- Providing a clean efficient connection for valves and hoses.
- Applicable for dairy, food, beer, beverage, pharmacy, cosmetic, Oil, Waste water etc.



STAINLESS STEEL TRI-CLOVER FITTING

Provides a clean interface between 1/2" Female NPT fitting to attach to a TC fitting on your brewing equipment. Useful on boiling or fermenting apparatus.



Part No.	C6564	C5203
Material	Stainless Steel 304	Stainless Steel 304
Finish	Electro Polish	Electro Polish
Thread	1.5" TC X 1/2" MALE NPT	5/8" BSP X 1.5"

Features

- This is constructed from 304 Stainless Steel with a 1/2" male NPT fitting.
- Easy to use and fix.
- Simple to assembly. No male or female parts.
- Easy to disassemble for cleaning and put back every time.
- Adapter for connecting pipes or fittings of different types.
- Suitable for 1.5" Tri Clamp / Clover / Sanitary.



TC COMPATIBLE CAP STYLE REDUCER FROM 1.5" X1/2"



Part No. C6611

Material	Stainless Steel
Bore Inside Diameter	0.375"
Overall Length	1.375"

STAINLESS STEEL 1/2" HOSE BARB TO 1.5" TC CAP

Tri-clamp compatible tailpiece for gas or beer tubings. Connect a 1/2" I.D. hose to make various connections in the draft beer system. Tri-clamp fittings are simple to assemble and also easy to open for cleaning. There are no threads which makes it an ideal choice for sanitary brewing connections.



Part No. C6612

Material	Stainless Steel
Finish	Electro Polish
Tube ID	1/2" ID

Features

- Stainless steel tail piece.
- For gas, liquid and beverage dispensing applications.
- Used for 1/2" Vinyl Hose.
- Easy to fix and connect.

TRI-CLAMP GASKET – 1/2"

1/2" gasket for use with Tri-clamp connections. Made of flexible and durable rubber, this TC gasket comes in black colour. Align the o-ring between the ferrules and tighten the clamp over this assembly.



Part No. C6613X10

Material	Nbr
Finish	Raw
Color	Black

Features

- Most economic.
- Applicable for all standard size tri-clover or tri-clamp and tube fittings.
- Easy to use and connect.
- Gasket Size For 1/2 inch Tri-Clamp Fittings.



WELDLESS THERMOWELL KIT – 1/2" FEMALE NPT (2" PROBE)

Install this thermowell on your brew pots and kettles to protect the temperature sensor from direct exposure to boiling wort while also giving accurate readings. The thermowell kit doesn't need welding and can easily be mounted by its threading.



Part No.	C6567	C6615	C6616	C6617
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Length	2"	4"	6"	12"

Features

- This tubular fitting is made from a solid bar stainless steel stock.
- It is gun drilled to ensure a long, straight, and uninterrupted bore.
- It is mounted to the process stream by means of threading, welding, or flanging.
- This weldless thermowell kit can be added to any pot or kettle into an existing bulkhead or by drilling a 7/8" hole into the brew kettle.
- It comes with a 1/2" female pipe fitting for a more compact look as well as easy installation.



THREAD-IN THERMOWELL – 1.5" TC

Thermowells are indispensable to brewers. It is especially useful in boiling wort which requires precise temperatures. Stainless steel brewery approved Thermowell with 1.5" TC x 4" Long Stem and 1/2" NPT Female. The tri-clamp fitting on one end makes it easy to attach to your brew pot. It is simple to set up and dismantle for cleaning as well.

Part No.	C5244	C5245	C5246	C5247
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Length	4"	6"	12"	20"

Features

- 304 stainless steel strength and resistance to corrosion.
- Used for food, beverage, and dairy applications.
- Suitable for long-term use, not easy to damage and not corrupt.
- Installation is easy and quick also.



TRI-CLAMP DROP-IN THERMOWELL – 1.5"

Use Drop-in Thermowell and protect the sensor from the effect of direct high heat. Get accurate measurements as well as increase sensor's life. Hence, it is highly recommended in beer brewing – commercial as well as home brewing.

Part No.	C5233	C5234	C5235	C5236	C5237	C5238
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Length	3"	6"	12"	16"	20"	24"

Features

- 304 stainless steel strength and resistance to corrosion.
- Used for food, beverage, and dairy applications.
- Suitable for long-term use, not easy to damage and not corrupt.
- Installation is easy and quick also.

THERMOWELL STOPPER

Part No.	C952
Material	Stainless Steel 304

Features

- This carboy thermowell is used in conjunction with the digital controller.
- It is exceptionally useful during the start of fermentation when the lag b/w ambient temperature in the refrigerator and actual temperature in the carboy can vary greatly. Designed to fit either 3, 5, 6 or 6.5-gallon glass carboys or any other similarly sized opening hole.





TANK BREATHER (1.5")

Part No.	C5217	C5218
Material	Stainless Steel 304	Stainless Steel 304
PSI	15	30

Features

- Easy to attach and remove.
- No need to disassembled for cleaning.
- Entire breather can be soaked and rinsed.



TRI CLOVER EXTENSION TUBE (1.5")

Part No.	C5222	C5223	C5224	C5226	C5227
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Length	2"	3"	4"	6"	12"

Features

- Factory welded and polished inside and out to provide a smooth, leak-free component.
- Easy to clean.



STAINLESS STEEL TRI- CLAMP SIGHT GLASS

Part No.	C5216
Material	Stainless Steel 304
OD	1.5"

Features

- Transparent glass for viewing brews during fermentation or other processes
- Stainless steel material with sanitary TC fittings.
- Easily attach, remove or replace as desired.

Shop
More

Beer
DISPENSING
EQUIPMENT



Apply For a Wholesale Signup
To Get Great Products at Best Prices

Or

Request a Beer Dispensing Equipment Catalogue
at

info@kromedispense.com



INDIA

Krome Dispense Private Limited, D 74 Focal Point Extension,
Jalandhar 144004 Punjab India

USA

Krome USA Inc., 3482 Keith Bridge Road # 298
Cumming GA 30041

Email Us To Know Our Distributor Near You :-
Info@kromedispense.com or Call 91754-00006

For More Products Visit:- www.kromedispense.com

*Prices are subject to change without any Notice.